



Recognises that

Polypipe Italia s.r.l.

Loc. Pianmercato, 5C-D-H, 16044 Cicagna, Genova - Italy

Has had the following products certified as complying with:

The requirements of Regulation 4.1.a of the Water Supply (Water Fittings) Regulations 1999 in England and Wales, the Water Supply (Water Fittings) (Scotland) Byelaws 2014 and the Water Supply (Water Fittings) Regulations (Northern Ireland) 2009

Description: Range of PVC-U double union ball valves

Please see Annex A for the list of products certified.

For full details of the certified range of products and any restrictions, please visit the NSF REG4 section of the official NSF listings at nsf.org
Products appearing in the NSF official listing for the REG4 S3 Scheme are authorised to bear the NSF Mark on the left below. NSF does not authorise the use of the UKAS Product Certification Mark shown on the right below. Please refer to the NSF REG4 Certification Policies for mark usage requirements.



Certified Product to
NSF REG4 S3

Samantha Duffy
Senior Manager Global Water Programs – UK and EU Schemes

Certificate Number: 2507862
Issue Date: 21-Jul-2025
Expiry Date: 20-Jul-2030



0110

NSF Confidential

This certificate is the property of NSF and must be returned upon request. This certificate remains valid as long as the referenced products are listed in the NSF official listing for the referenced standard. For the most current and complete listing information, please access NSF's website (www.nsf.org).

NSF Wales Limited (Trading as NSF) Unit 30 Fern Close, Pen-Y-Fan Industrial Estate, Oakdale, Gwent, NP11 3EH Tel: +44(0) 1495 236 260



Annex A – list of certified products

BX Range

Imperial size, solvent cement UK

RBA22A0160, RBA22A0200, RBA22A0250, RBA22A0320, RBA22A0400, RBA22A0500, RBA22A0630, RBA22A0750, RBA22A090, RBA22A1100

Imperial size, solvent cement Effast

BARBXA0160, BARBXA0200, BARBXA0250, BARBXA0320, BARBXA0400, BARBXA0500, BARBXA0630, BARBXA0750, BARBXA0900, RBABXA1100

Threaded End BSP (F) UK

RBF22F0160, RBF22F0200, RBF22F0250, RBF22F0320, RBF22F0400, RBF22F0500, RBF22F0630, RBF22F0750, RBF22F0900, RBF22F1100

Threaded End BSP (F) Effast codes

BERBXE016A, BERBXE020B, BERBXE025C, BERBXE032D, BERBXE040E, BERBXE050F, BERBXE063G, BERBXE075H, BERBXE090I, BERBXE110L

Metric size, Solvent cement UK codes

RBI22I0160, RBI22I0200, RBI22I0250, RBI22I0320, RBI22I0400, RBI22I0500, RBI22I0630, RBI22I0750, RBI22I090, RBI22I1100, BDRBXD0160, BDRBXD0200, BDRBXD0250, BDRBXD0320, BDRBXD0400, BDRBXD0500, BDRBXD0630, BDRBXD0750, BDRBXD0900, BDRBXD1100

BK1 Range

Imperial size, solvent cement UK codes

RBA22A0160A, RBA22A0200A, RBA22A0250A, RBA22A0320A, RBA22A0400A, RBA22A0500A, RBA22A0630A, RBA22A0750A, RBA22A0900, RBA22A1100

Imperial size, solvent cement UK codes

BARBK1A0160, BARBK1A0200, BARBK1A0250, BARBK1A0320, BARBK1A0400, BARBK1A0500, BARBK1A0630, BARBK1A0750, BARBK1A0900, BARBK1A1100,

Metric size, solvent cement UK codes

RBI22I0160A, RBI22I0200A, RBI22I0250A, RBI22I0320A, RBI22I0400A, RBI22I0500A, RBI22I0630A, RBI22I0750A, RBI22I0900A, RBI22I1100A,

Metric size, solvent cement, Effast Codes

BDRBK1D0160, BDRBK1D0200, BDRBK1D0250, BDRBK1D0320, BDRBK1D0400, BDRBK1D0500, BDRBK1D0630, BDRBK1D0750, BDRBK1D0900, BDRBK1D1100

Threaded End BSP (F) UK codes

RBF22F0160A, RBF22F0200A, RBF22F0250A, RBF22F0320A, RBF22F0400A, RBF22F0500A, RBF22F0630A, RBF22F0750A, RBF22F0900A, RBF22F1100A



Threaded End BSP (F) Effast codes

BERBK1E016A, BERBK1E020B, BERBK1E025C, BERBK1E032D, BERBK1E040E, BERBK1E050F, BERBK1E063G, BERBK1E075H, BERBK1E090I, BERBK1E110L

The valves are for use with only PVC-U pipe (different PN) according to ISO 1452-2